

CITY OF DALTON POLICE DEPARTMENT
301 Jones St.
Dalton, Ga. 30720

Bid Sheet for 2024 or Newer Police Pursuit SUV (AWD)

Bid Due Date: November 15, 2024
Time: 10:00 A.M.

Bid Opening Date: November 15, 2024
Time: 10:00 A.M.

Delivery Date:

Delivery Price:

Dealer:

**Total package bid.

** The department reserves the right to reject all bids and is not obligated to take the lowest bid.

** To be considered for this bid process the vehicle needs to be in stock and available for immediate delivery.

City of Dalton Police Department

Specification

Model Year 2024 or newer

SUV, POLICE PURSUIT (AWD), 4-DOOR

APPLICABLE DOCUMENTS: Reference to publications in the detail on specifications shall apply to those issues in effect on the date of invitation to bid, unless otherwise specified. (See State Wide Contract Numbers 99999-001-SPD0000183-0006, 99999-001-SPD0000183-0003, 99999-001-SPD0000183-0001)

DESIGN: New models in current production, complete with all necessary operating components and accessories customarily furnished, together with such modifications as may be necessary to enable the vehicle to function reliably and efficiently in sustained operation. Design to permit accessibility for maintenance purposes with minimal disturbance of other components or assemblies. The term "heavy duty" as used to describe an item, shall be defined to mean in excess of the usual performance, quantity, quality or capacity that is normally supplied with the standard production item.

COMPONENTS, ASSEMBLIES, AND ACCESSORIES: The vehicle, shall have all of its components, assemblies and accessories installed and shall be delivered to The Dalton Police Department meeting or exceeding all applicable requirements of the Environmental Protection Agency Regulations, Federal Motor Vehicle Safety Standards, Federal Motor Carrier Safety Regulation and Industry Specifications, Standards and Regulation that are in effect on the date of manufacture.

NOTE: All Components, assemblies, and accessories shall be Factory Installed unless otherwise noted.

STANDARD EQUIPMENT: The vehicle shall include all components, assemblies and accessories as offered by the vehicle manufacturer and referred to as "standard equipment or features".

EMISSION CONTROLS: The vehicle shall comply with Environmental Protection Agency requirements on Air Pollution.

INTERIOR & EXTERIOR SOUND LEVEL: The vehicle shall comply with Federal Interstate Noise Standards.

COOLING SYSTEMS: Liquid pressurized forced circulation type, consisting of the necessary components of such design and capacity to maintain the engine at optimum safe temperature under all operating conditions without any loss of coolant. Optimum engine temperatures shall be maintained with the vehicle loaded and continuously operating at all drivable altitudes and grades in ambient temperatures ranging from minus 30 to 120 degrees F. Thermostat controlled and suitable for operation with permanent type antifreeze solution. Easily accessible drain outlets shall be provided to allow complete cooling system drainage. Coolant recovery system is to be furnished.

WHEELS: Manufacturer-recommended size and capacity for the vehicle offered. Rim contours and sizes shall conform to the current recommendations of the Tire and Rim Association, Inc.

TIRES: All tires furnished shall be black wall, tubeless type, and radial. Capacity to the maximum load imposed by the evenly and fully-loaded vehicle. Conform to the Tire and Rim Association, Inc. Spare tire and wheel, factory installed, shall be furnished.

TOOLS: Jack and Lug Wrench, Factory-installed, for each vehicle.

EXHAUST SYSTEM: Manufacturer's heaviest duty system available for engine **furnished;** **corrosion resistant and securely fastened and routed to protect** components from hazards. The system shall comply with Federal Motor Vehicle Safety Regulations.

City of Dalton Police Department

CONTROLS, INSTRUMENTS AND OPERATING MECHANISMS: Located for left-hand drive; complete and conveniently accessible to driver. Instruments and controls clearly identified as to function.

HEATER AND DEFROSTER: Hot water heating systems with fresh air intakes. Discharge outlets to floor and defroster louvers shall be provided. Systems shall be equipped with multispeed blowers.

EXTERIOR FINISHES: Standard production colors

MATERIALS: New and of quality conforming to current engineering and manufacturing practice. No defects and suitable for the intended service.

WARRANTY: The vehicle shall be fully-warranted against defective materials and workmanship by the manufacturer for a period of not less than 36 months or 36,000 miles from date of delivery and acceptance. However, if additional warranty coverage on the whole or any components of the vehicle, in the form of time and/or mileage, including any pro rate arrangements, is normally extended to commercial customers, The Dalton Police Department shall receive corresponding warranty benefits.

RESPONSIBILITY FOR INSPECTION: Unless otherwise specified in the contract or purchase order, the supplier shall be responsible for the performance of all inspection and test requirements necessary to ensure compliance with requirements of this and the applicable detail specifications. This action does not preclude subsequent inspection and testing by The Dalton Police Department to further determine conformance with specification requirements for performance, quality standards of workmanship, material and construction techniques.

PRE-DELIVERY SERVICING AND ADJUSTMENT: The dealer shall not attach any dealer identification, advertising or similar material to the vehicle. Prior to acceptance by The Dalton Police Department, the dealer shall service and adjust each vehicle for operational use to include, as a minimum, the following:

1. Focusing of lights.
2. Tuning of engine.
3. Adjustment of accessories.
4. Checking of electrical, braking, and suspension systems.
5. Charging of battery.
6. Alignment of front end.
7. Inflation of tires.
8. Balancing of all wheels, including the spare.
9. Complete servicing of engine, chassis and operating mechanisms with recommended grades of lubricants or fluids for the ambient air temperature at the point and time of delivery.
10. Servicing of cooling system with permanent-type antifreeze and summer coolant for minus 20 degrees Fahrenheit protection.
11. Servicing of windshield washer reservoir with appropriate fluids and additives.
12. A minimum of 1/4 tank of fuel.

City of Dalton Police Department

SPECIFICATIONS

Model Year 2024 or newer
SUV, POLICE PURSUIT, (AWD) 4-DOOR

DOCUMENTS: The vehicle shall be delivered with complete certification of origin, tag application, warranty, owner's manual, and any other necessary credentials.

- A. **Scope:** This specification covers Full-Size 4-Door SUVs having excellent acceleration, speed, braking, and handling performance. Only those vehicles classified as "FULL-SIZE" by the U.S. Environmental Protection Agency will be considered.
- B. **Vendor Information.** The vehicle shall be equipped with factory-installed plus additional items listed below. Unless otherwise noted, the vehicle shall be comparable with the following basic requirements. Bidders shall indicate EXACTLY what they are offering under '1BIDDER'S RESPONSE.'" (**Failure to respond will result in automatic rejection.**)

Basic Requirements: PAGE 1

| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |
|------------------|--|----------------------------|
| VEHICLE IDENTITY | POLICE PURSUIT SUV (AWD) | |
| ENGINE | MANUFACTURER'S STANDARD SIZE FOR POLICE PURSUIT SUV, TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE | |
| ENGINE COOLING | LARGEST AVAILABLE WITH POLICE PURSUIT SUV, FRONT AIR DEFLECTOR COOLANT RECOVERY | |
| EXHAUST | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE. MUST BE DUAL EXHAUST, IF AVAILABLE | |
| FUEL SYSTEM | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE, USING 89 OCTANE GASOLINE | |
| TRANSMISSION | AUTOMATIC, COMPATIBLE WITH ENGINE TO GIVE MAXIMUM PERFORMANCE. | |
| SUSPENSION | HEAVY DUTY, POLICE PACKAGE | |
| STABILIZERS | HEAVY DUTY, POLICE PACKAGE | |

| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |
|----------------------|---|----------------------------|
| DIFFERENTIAL | HEAVIEST DUTY AVAILABLE | |
| FINAL DRIVE | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM PERFORMANCE, TOP SPEED, AND ACCELERATION | |
| STEERING | POWER-ASSISTED WITH AUXILIARY OIL COOLER. HEAVIEST DUTY AVAILABLE WITH POLICE PACKAGE. STEERING WHEEL, TILT TYPE, ANTI-SLIP | |
| ALTERNATOR | 100 AMP MINIMUM, HEAVY DUTY DESIGN CAPABLE OF WITHSTANDING PATROL VEHICLE OPERATION AT ALL SPEEDS AND CONDITIONS | |
| BATTERY | 12 VOLT MINIMUM, HIGHEST AVAILABLE AMPERAGE HEAVY DUTY, DESIGN CAPABLE OF WITHSTANDING PATROL VEHICLE OPERATION AT ALL SPEEDS AND CONDITIONS | |
| WHEELS | 5 EACH, LARGEST AVAILABLE FOR POLICE PACKAGE COLOR: BLACK | |
| WHEEL COVERS | SMALL: SMALLEST AVAILABLE | |
| POWER DOOR LOCKS | DRIVER CONTROLLED ONLY. REAR DOORS AND REAR WINDOWS AND PASSENGER WINDOWS MUST BE INOPERABLE ON DELIVER WITH CAPABILITY TO RECONNECT WHEN NECESSARY | |
| TIRES | 5 EACH, MANUFACTURER'S STANDARD SIZE (SPARE, SAME SIZE, IF AVAILABLE). HIGHEST SPEED RATED, POLICE TYPE, TUBELESS RADIAL, BLACKWALL | |
| RADIO | AM/FM, ANTENNA, FRONT & REAR SPEAKERS, BLUETOOTH CAPABLE AUDIO SYSTEM, FACTORY INSTALLED | |
| TRUNK RELEASE | LOCATION: CONVENIENT TO DRIVER | |
| SEATS AND UPHOLSTERY | FRONT SEAT: BUCKET SEATS, CLOTH COVERED, WITH 6-WAY POWER (DRIVER SIDE ONLY) REAR SEAT: FULL BENCH- VINYL COVERED. UPHOLSTERY: HEAVIEST DUTY AVAILABLE. COLOR COMPATIBLE WITH VEHICLE EXTERIOR | |
| GLASS | TINTED, ALL GLASS | |
| MIRRORS | INSIDE: DAY/NIGHT TYPE OUTSIDE: LH & RH REMOTE CONTROLLED | |
| PAINT (EXTERIOR) | MANUFACTURER STANDARD COLOR: BLACK BODY | |
| SAFETY RESTRAINTS | MANUFACTURER STANDARD AIR BAGS, AS REQUIRED BY FMVSS | |
| SPEEDOMETER | MANUFACTURER STANDARD, CERTIFIED CALIBRATION | |
| WINDSHIELD WASHER | MANUFACTURER STANDARD | |
| WINDSHIELD WIPERS | MULTI-SPEED, INTERMITTENT | |

Basic Requirements: PAGE 3

| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |
|-----------------------------------|---|----------------------------|
| REAR WINDOW DEFROSTER | ELECTRIC GRID. CONTROL WITHIN DRIVER'S REACH | |
| LOCKS | 2 SETS OF KEY FOBS AND 4 SETS OF CUT KEYS | |
| SUNVISORS | PADDED, LH & RH | |
| HOOD RELEASE | INSIDE MOUNTED | |
| PARKING BRAKE | WARNING LIGHT OR AUTOMATIC RELEASE | |
| TIRE CHANGING | JACK AND LUG WRENCH | |
| AIR CONDITIONING | FACTORY INSTALLED | |
| BRAKES | ANTI-LOCK BRAKES | |
| FUEL | MINIMUM 1/4 TANK UPON DELIVERY | |
| DOME LIGHT | BEAM LAMPS DOME MOUNTED | |
| POWER SIDE WINDOWS | DRIVER CONTROLLED ONLY, IF AVAILABLE | |
| FLOOR MATS | FRONT AND REAR HEAVY-DUTY RUBBER | |
| LIGHTS | HEADLIGHT: BRIGHTEST AVAILABLE ENGINE: COMPARTMENT LIGHT REAR STORAGE AREA: COMPARTMENT LIGHT DOOR AND COURTESY: LIGHT SWITCH INOPERATIVE SPOT LIGHT: DRIVERS SPOT LAMP WITH LED BULB (BLACK) ALL LIGHTS SET TO "BLACKOUT MODE" COURTESY LAMP DISABLE | |
| DOOR MOLDING | FRONT & REAR COLOR SAME | |
| ROOF | REINFORCEMENT FOR ROOF MOUNTED SIGNAL | |
| SHOP MANUAL | ONE COPY: TO BE FURNISHED WITH FIRST VEHICLE DELIVERED | |
| WARRANTY | VEHICLE, AND ALL EQUIPMENT, INCLUDING AIR CONDITIONING: FULLY WARRANTED AGAINST DEFECTIVE MATERIALS AND WORKMANSHIP FOR NOT LESS THAN 36 MONTHS OR 36,000 MILES FROM DATE OF PLACEMENT INTO SERVICE BY THE DALTON POLICE DEPARTMENT | |
| POLICE HEADLAMP ASSEMBLIES | INCLUDE BASE PROJECTOR BEAM HEADLAMP, PLUS PRECUT HOLES FOR MULTIFUNCTION PARK/TURN/WARN (PTW) BULBS FOR WIG WAG SIMULATION AND 2 WHITE HEMISPHERIC LIGHT HEAD LED SIDE WARNING LIGHTS. | |
| POLICE GRILL LAMP WIRING ASSEMBLY | INCLUDE FACTORY PREDRILLED HOLES/WIRING ASSEMBLY FOR SIREN, LIGHT, AND SPEAKER MOUNT | |
| BACKUP CAMERA | FACTORY INSTALLED | |
| DEALER INVOICE | INCLUDE 4 KEY NUMBERS | |
| | | |

The above specifications are to be in the base price.